

AMERICAN FITTINGS

Alloy Steel Reducing Bushings Ordinary Locations



Since 1946

SPEC-grade™

Size Range: 1/2" - 4" as shown
 RB Series Reducing Bushings for Both Rigid and IMC Conduit
 RB's Reduce the Trade Size of a Tapped Hole or Hub
 Alloy Steel Construction, Zinc Plated
 Precision Machined Cut for Integrity of Threads NPS
 Suitable for Use in Heavy Duty Industrial Applications

Compliances:
 Certified Made in the USA
 UL 514B
 NEMA Standard FB1
 Certified for MIL-STD 810 Sinusoidal Vibrations
 Federal Standard A-A-50553



AMFICO SPEC-grade™ Alloy Steel Reducing Bushings (NPS Threads)

Cat # *	Trade Size"	Description	Box Qty.	Carton Qty	Wt/c.	UPC Code
RB5038	1/2 x 3/8	Steel Reducing Bushings (N.P.S. Threads)	100	1000	2	66236413002
RB7550	3/4 x 1/2	Steel Reducing Bushings (N.P.S. Threads)	100	500	14	66236413004
RB10050	1 x 1/2	Steel Reducing Bushings (N.P.S. Threads)	50	250	12	66236413006
RB10075	1 x 3/4	Steel Reducing Bushings (N.P.S. Threads)	50	250	12	66236413008
RB12550	1 1/4 x 1/2	Steel Reducing Bushings (N.P.S. Threads)	20	200	28	66236413010
RB12575	1 1/4 x 3/4	Steel Reducing Bushings (N.P.S. Threads)	20	200	22	66236413012
RB125100	1 1/4 x 1	Steel Reducing Bushings (N.P.S. Threads)	20	200	14	66236413014
RB15050	1 1/2 x 1/2	Steel Reducing Bushings (N.P.S. Threads)	10	100	42	66236413016
RB15075	1 1/2 x 3/4	Steel Reducing Bushings (N.P.S. Threads)	10	100	36	66236413018
RB150100	1 1/2 x 1	Steel Reducing Bushings (N.P.S. Threads)	10	100	28	66236413020
RB150125	1 1/2 x 1 1/4	Steel Reducing Bushings (N.P.S. Threads)	10	100	12	66236413022
RB20050	2 x 1/2	Steel Reducing Bushings (N.P.S. Threads)	5	50	84	66236413024
RB20075	2 x 3/4	Steel Reducing Bushings (N.P.S. Threads)	5	50	76	66236413026
RB200100	2 x 1	Steel Reducing Bushings (N.P.S. Threads)	5	50	68	66236413028
RB200125	2 x 1 1/4	Steel Reducing Bushings (N.P.S. Threads)	5	50	48	66236413030
RB200150	2 x 1 1/2	Steel Reducing Bushings (N.P.S. Threads)	5	50	32	66236413032
RB250100	2 1/2 x 1	Steel Reducing Bushings (N.P.S. Threads)	10	130	130	66236413038
RB250125	2 1/2 x 1 1/4	Steel Reducing Bushings (N.P.S. Threads)	10	140	140	66236413040
RB250150	2 1/2 x 1 1/2	Steel Reducing Bushings (N.P.S. Threads)	10	140	140	66236413042
RB250200	2 1/2 x 2	Steel Reducing Bushings (N.P.S. Threads)	10	110	110	66236413044
RB300125	3 x 1 1/4	Steel Reducing Bushings (N.P.S. Threads)	10	200	200	66236413052
RB300150	3 x 1 1/2	Steel Reducing Bushings (N.P.S. Threads)	10	240	240	66236413054
RB300200	3 x 2	Steel Reducing Bushings (N.P.S. Threads)	10	200	200	66236413056
RB300250	3 x 2 1/2	Steel Reducing Bushings (N.P.S. Threads)	10	170	170	66236413058
RB350150	3 1/2 x 1 1/2	Steel Reducing Bushings (N.P.S. Threads)	10	230	230	66236413068
RB350200	3 1/2 x 2	Steel Reducing Bushings (N.P.S. Threads)	10	230	230	66236413070
RB350250	3 1/2 x 2 1/2	Steel Reducing Bushings (N.P.S. Threads)	10	270	270	66236413072
RB350300	3 1/2 x 2 1/2	Steel Reducing Bushings (N.P.S. Threads)	10	250	250	66236413074
RB400200	4 x 2	Steel Reducing Bushings (N.P.S. Threads)	10	350	350	66236413084
RB400250	4 x 2 1/2	Steel Reducing Bushings (N.P.S. Threads)	10	380	380	66236413086
RB400300	4 x 3	Steel Reducing Bushings (N.P.S. Threads)	10	320	320	66236413088
RB400350	4 x 3 1/2	Steel Reducing Bushings (N.P.S. Threads)	10	290	290	66236413090

Dimensional Cut Sheets Available Online at amftgs.com

AMFTGS.com

t: 800.221.5268

e: info@amftgs.com

AMERICAN FITTINGS

Alloy Steel Reducing Bushings Hazardous Locations



Since 1946

SPEC-grade™

Size Range: 1/2" - 4" as shown

RBH Series **Hazardous Locations** Reducing Bushings for Rigid Conduit
 RB's Reduce the Trade Size of a Tapped Hole or Hub
 Alloy Steel Construction, Zinc Plated, Galvanized Plating Available
 Precision Machined Cut for Integrity of Threads NPT (int and ext)
 IL Listed Suitable for Use in Hazardous Locations

Compliances:

Certified Made in the USA
 UL Listed Hazardous Locations
 UL 514B
 NEMA Standard FB1
 Certified for MIL-STD 810 Sinusoidal Vibrations
 Federal Standard A-A-50553
 NEC Class I, Groups C & D
 Class II, Groups E, F & G
 UL Standards: 514B, 467



AMFICO SPEC-grade™ Alloy Steel HAZ. Loc Reducing Bushings (NPT Threads)

Cat # *	Trade Size"	Description	Box Qty.	Carton Qty	Wt/c.	UPC Code
RB21H	3/4 x 1/2	Steel Haz. Loc.Reducing Bushing (N.P.T.Threads)	50	500	6	66236414002
RB31H	1 x 1/2	Steel Haz. Loc.Reducing Bushing (N.P.T.Threads)	50	250	14	66236414004
RB32H	1 x 3/4	Steel Haz. Loc.Reducing Bushing (N.P.T.Threads)	50	250	8	66236414006
RB41H	1 1/4 x 1/2	Steel Haz. Loc.Reducing Bushing (N.P.T.Threads)	20	200	36	66236414008
RB42H	1 1/4 x 3/4	Steel Haz. Loc.Reducing Bushing (N.P.T.Threads)	20	200	28	66236414010
RB43H	1 1/4 x 1	Steel Haz. Loc.Reducing Bushing (N.P.T.Threads)	20	200	18	66236414012
RB51H	1 1/2 x 1/2	Steel Haz. Loc.Reducing Bushing (N.P.T.Threads)	10	100	54	66236414014
RB52H	1 1/2 x 3/4	Steel Haz. Loc.Reducing Bushing (N.P.T.Threads)	10	100	46	66236414016
RB53H	1 1/2 x 1	Steel Haz. Loc.Reducing Bushing (N.P.T.Threads)	10	100	36	66236414018
RB54H	1 1/2 x 1 1/4	Steel Haz. Loc.Reducing Bushing (N.P.T.Threads)	10	100	16	66236414020
RB61H	2 x 1/2	Steel Haz. Loc.Reducing Bushing (N.P.T.Threads)	5	50	184	66236414022
RB62H	2 x 3/4	Steel Haz. Loc.Reducing Bushing (N.P.T.Threads)	5	50	168	66236414024
RB63H	2 x 1	Steel Haz. Loc.Reducing Bushing (N.P.T.Threads)	5	50	144	66236414026
RB64H	2 x 1 1/4	Steel Haz. Loc.Reducing Bushing (N.P.T.Threads)	5	50	104	66236414028
RB65H	2 x 1 1/2	Steel Haz. Loc.Reducing Bushing (N.P.T.Threads)	5	50	60	66236414030
RB73H	2 1/2 x 1	Steel Haz. Loc.Reducing Bushing (N.P.T.Threads)		10	130	66236414036
RB74H	2 1/2 x 1 1/4	Steel Haz. Loc.Reducing Bushing (N.P.T.Threads)		10	140	66236414038
RB75H	2 1/2 x 1 1/2	Steel Haz. Loc.Reducing Bushing (N.P.T.Threads)		10	140	66236414040
RB76H	2 1/2 x 2	Steel Haz. Loc.Reducing Bushing (N.P.T.Threads)		10	110	66236414042
RB84H	3 x 1 1/4	Steel Haz. Loc.Reducing Bushing (N.P.T.Threads)		10	200	66236414050
RB85H	3 x 1 1/2	Steel Haz. Loc.Reducing Bushing (N.P.T.Threads)		10	240	66236414052
RB86H	3 x 2	Steel Haz. Loc.Reducing Bushing (N.P.T.Threads)		10	200	66236414054
RB87H	3 x 2 1/2	Steel Haz. Loc.Reducing Bushing (N.P.T.Threads)		10	170	66236414056
RB95H	3 1/2 x 1 1/2	Steel Haz. Loc.Reducing Bushing (N.P.T.Threads)		10	230	66236414066
RB96H	3 1/2 x 2	Steel Haz. Loc.Reducing Bushing (N.P.T.Threads)		10	230	66236414068
RB97H	3 1/2 x 2 1/2	Steel Haz. Loc.Reducing Bushing (N.P.T.Threads)		10	270	66236414070
RB98H	3 1/2 x 3	Steel Haz. Loc.Reducing Bushing (N.P.T.Threads)		10	250	66236414072
RB106H	4 x 2	Steel Haz. Loc.Reducing Bushing (N.P.T.Threads)		10	350	66236414084
RB107H	4 x 2 1/2	Steel Haz. Loc.Reducing Bushing (N.P.T.Threads)		10	380	66236414086
RB108H	4 x 3	Steel Haz. Loc.Reducing Bushing (N.P.T.Threads)		10	320	66236414088
RB109H	4 x 3 1/2	Steel Haz. Loc.Reducing Bushing (N.P.T.Threads)		10	290	66236414090

Dimensional Cut Sheets Available Online at amftgs.com

AMFTGS.com

t: 800.221.5268

e: info@amftgs.com

© Copyright 2016 AMERICAN FITTINGS Corporation, Fair Lawn, New Jersey

Specifications Subject to Change Without Notice

AMERICAN FITTINGS

Aluminum Reducing Bushings Ordinary Locations



Since 1946

SPEC-grade™

Size Range: 1/2" - 4" as shown
 RBA Series Ordinary Loc. Reducing Bushings for Aluminum Conduit
 RB's Reduce the Trade Size of a Tapped Hole or Hub

Compliances:
 Certified Made in the USA
 UL 514B
 NEMA Standard FB1
 Certified for MIL-STD 810 Sinusoidal Vibrations
 Federal Standard A-A-50553

Precision Machined Cut for Integrity of Threads NPS (int and ext)



AMFICO SPEC-grade™ Aluminum Reducing Bushings (NPS Threads)

Cat # *	Trade Size"	Description	Box Qty.	Carton Qty	Wt/c.	UPC Code
RBA21	3/4 x 1/2	Aluminum Reducing Bushing (N.P.S.Threads)	50	500	3	66236414092
RBA31	1 x 1/2	Aluminum Reducing Bushing (N.P.S.Threads)	50	250	6	66236414093
RBA32	1 x 3/4	Aluminum Reducing Bushing (N.P.S.Threads)	50	250	4	66236414094
RBA41	1 1/4 x 1/2	Aluminum Reducing Bushing (N.P.S.Threads)	20	200	12	66236414095
RBA42	1 1/4 x 3/4	Aluminum Reducing Bushing (N.P.S.Threads)	20	200	10	66236414096
RBA43	1 1/4 x 1	Aluminum Reducing Bushing (N.P.S.Threads)	20	200	7	66236414097
RBA51	1 1/2 x 1/2	Aluminum Reducing Bushing (N.P.S.Threads)	10	100	19	66236414098
RBA52	1 1/2 x 3/4	Aluminum Reducing Bushing (N.P.S.Threads)	10	100	16	66236414099
RBA53	1 1/2 x 1	Aluminum Reducing Bushing (N.P.S.Threads)	10	100	13	66236414100
RBA54	1 1/2 x 1 1/4	Aluminum Reducing Bushing (N.P.S.Threads)	10	100	7	66236414101
RBA61	2 x 1/2	Aluminum Reducing Bushing (N.P.S.Threads)	5	50	33	66236414102
RBA62	2 x 3/4	Aluminum Reducing Bushing (N.P.S.Threads)	5	50	31	66236414103
RBA63	2 x 1	Aluminum Reducing Bushing (N.P.S.Threads)	5	50	27	66236414104
RBA64	2 x 1 1/4	Aluminum Reducing Bushing (N.P.S.Threads)	5	50	22	66236414105
RBA65	2 x 1 1/2	Aluminum Reducing Bushing (N.P.S.Threads)	5	50	17	66236414106
RBA73	2 1/2 x 1	Aluminum Reducing Bushing (N.P.S.Threads)		10	43	66236414109
RBA74	2 1/2 x 1 1/4	Aluminum Reducing Bushing (N.P.S.Threads)		10	46	66236414110
RBA75	2 1/2 x 1 1/2	Aluminum Reducing Bushing (N.P.S.Threads)		10	46	66236414111
RBA76	2 1/2 x 2	Aluminum Reducing Bushing (N.P.S.Threads)		10	36	66236414112
RBA84	3 x 1 1/4	Aluminum Reducing Bushing (N.P.S.Threads)		10	66	66236414116
RBA85	3 x 1 1/2	Aluminum Reducing Bushing (N.P.S.Threads)		10	79	66236414117
RBA86	3 x 2	Aluminum Reducing Bushing (N.P.S.Threads)		10	66	66236414118
RBA87	3 x 2 1/2	Aluminum Reducing Bushing (N.P.S.Threads)		10	56	66236414119
RBA95	3 1/2 x 1 1/2	Aluminum Reducing Bushing (N.P.S.Threads)		10	76	66236414124
RBA96	3 1/2 x 2	Aluminum Reducing Bushing (N.P.S.Threads)		10	76	66236414125
RBA97	3 1/2 x 2 1/2	Aluminum Reducing Bushing (N.P.S.Threads)		10	89	66236414126
RBA98	3 1/2 x 3	Aluminum Reducing Bushing (N.P.S.Threads)		10	83	66236414127
RBA106	4 x 2	Aluminum Reducing Bushing (N.P.S.Threads)		10	116	66236414133
RBA107	4 x 2 1/2	Aluminum Reducing Bushing (N.P.S.Threads)		10	125	66236414134
RBA108	4 x 3	Aluminum Reducing Bushing (N.P.S.Threads)		10	106	66236414135
RBA109	4 x 3 1/2	Aluminum Reducing Bushing (N.P.S.Threads)		10	96	66236414136

Dimensional Cut Sheets Available Online at amftgs.com

AMFTGS.com

t: 800.221.5268

e: info@amftgs.com

© Copyright 2016 AMERICAN FITTINGS Corporation, Fair Lawn, New Jersey

Specifications Subject to Change Without Notice

AMERICAN FITTINGS

Aluminum Reducing Bushings Hazardous Locations



Since 1946

SPEC-grade™

Size Range: 1/2" - 4" as shown
 RBH Series Hazardous Reducing Bushings for Aluminum Conduit
 RB's Reduce the Trade Size of a Tapped Hole or Hub
 Aluminum Construction,
 Precision Machined Cut for Integrity of Threads NPT (int and ext)
 Suitable for Use in Hazardous Locations - UL Listed

Compliances:
 Certified Made in the USA
 UL Listed Hazardous Locations *
 UL 514B
 NEMA Standard FB1
 Certified for MIL-STD 810 Sinusoidal Vibrations
 Federal Standard A-A-50553
 NEC Class I, Groups C & D
 Class II, Groups E, F & G
 UL Standards: 514B, 467



AMFICO SPEC-grade™ Aluminum Hazardous Loc. Reducing Bushings (NPT Threads)

Cat #	Trade Size"	Description	Box Qty.	Carton Qty	Wt/c.	UPC Code
RBA21H	3/4 x 1/2	Aluminum Haz. Loc.Reducing Bushing (N.P.T.Threads)	50	500	3	66236414003
RBA31H	1 x 1/2	Aluminum Haz. Loc.Reducing Bushing (N.P.T.Threads)	50	250	6	66236414005
RBA32H	1 x 3/4	Aluminum Haz. Loc.Reducing Bushing (N.P.T.Threads)	50	250	4	66236414007
RBA41H	1 1/4 x 1/2	Aluminum Haz. Loc.Reducing Bushing (N.P.T.Threads)	20	200	12	66236414009
RBA42H	1 1/4 x 3/4	Aluminum Haz. Loc.Reducing Bushing (N.P.T.Threads)	20	200	10	66236414011
RBA43H	1 1/4 x 1	Aluminum Haz. Loc.Reducing Bushing (N.P.T.Threads)	20	200	7	66236414013
RBA51H	1 1/2 x 1/2	Aluminum Haz. Loc.Reducing Bushing (N.P.T.Threads)	10	100	19	66236414015
RBA52H	1 1/2 x 3/4	Aluminum Haz. Loc.Reducing Bushing (N.P.T.Threads)	10	100	16	66236414017
RBA53H	1 1/2 x 1	Aluminum Haz. Loc.Reducing Bushing (N.P.T.Threads)	10	100	13	66236414019
RBA54H	1 1/2 x 1 1/4	Aluminum Haz. Loc.Reducing Bushing (N.P.T.Threads)	10	100	7	66236414021
RBA61H	2 x 1/2	Aluminum Haz. Loc.Reducing Bushing (N.P.T.Threads)	5	50	33	66236414023
RBA62H	2 x 3/4	Aluminum Haz. Loc.Reducing Bushing (N.P.T.Threads)	5	50	31	66236414025
RBA63H	2 x 1	Aluminum Haz. Loc.Reducing Bushing (N.P.T.Threads)	5	50	27	66236414027
RBA64H	2 x 1 1/4	Aluminum Haz. Loc.Reducing Bushing (N.P.T.Threads)	5	50	22	66236414029
RBA65H	2 x 1 1/2	Aluminum Haz. Loc.Reducing Bushing (N.P.T.Threads)	5	50	17	66236414031
RBA73H	2 1/2 x 1	Aluminum Haz. Loc.Reducing Bushing (N.P.T.Threads)		10	43	66236414037
RBA74H	2 1/2 x 1 1/4	Aluminum Haz. Loc.Reducing Bushing (N.P.T.Threads)		10	46	66236414039
RBA75H	2 1/2 x 1 1/2	Aluminum Haz. Loc.Reducing Bushing (N.P.T.Threads)		10	46	66236414041
RBA76H	2 1/2 x 2	Aluminum Haz. Loc.Reducing Bushing (N.P.T.Threads)		10	36	66236414043
RBA84H	3 x 1 1/4	Aluminum Haz. Loc.Reducing Bushing (N.P.T.Threads)		10	66	66236414051
RBA85H	3 x 1 1/2	Aluminum Haz. Loc.Reducing Bushing (N.P.T.Threads)		10	79	66236414053
RBA86H	3 x 2	Aluminum Haz. Loc.Reducing Bushing (N.P.T.Threads)		10	66	66236414055
RBA87H	3 x 2 1/2	Aluminum Haz. Loc.Reducing Bushing (N.P.T.Threads)		10	56	66236414057
RBA95H	3 1/2 x 1 1/2	Aluminum Haz. Loc.Reducing Bushing (N.P.T.Threads)		10	76	66236414067
RBA96H	3 1/2 x 2	Aluminum Haz. Loc.Reducing Bushing (N.P.T.Threads)		10	76	66236414069
RBA97H	3 1/2 x 2 1/2	Aluminum Haz. Loc.Reducing Bushing (N.P.T.Threads)		10	89	66236414071
RBA98H	3 1/2 x 3	Aluminum Haz. Loc.Reducing Bushing (N.P.T.Threads)		10	83	66236414073
RBA106H	4 x 2	Aluminum Haz. Loc.Reducing Bushing (N.P.T.Threads)		10	116	66236414085
RBA107H	4 x 2 1/2	Aluminum Haz. Loc.Reducing Bushing (N.P.T.Threads)		10	125	66236414087
RBA108H	4 x 3	Aluminum Haz. Loc.Reducing Bushing (N.P.T.Threads)		10	106	66236414089
RBA109H	4 x 3 1/2	Aluminum Haz. Loc.Reducing Bushing (N.P.T.Threads)		10	96	66236414091

Dimensional Cut Sheets Available Online at amftgs.com

AMFTGS.com

t: 800.221.5268

e:info@amftgs.com

© Copyright 2016 AMERICAN FITTINGS Corporation, Fair Lawn, New Jersey

Specifications Subject to Change Without Notice